

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) An index imparting system which generates metadata by using control signals of various kinds of devices used in a broadcast station, the system comprising:

a control signal detecting section to identify (1) ~~the~~a type of each of the control signals, (2) an identifier for uniquely specifying each control ~~signal~~signal, and (3) a time of a detection of one of the control signals;

a memory storing a database comprising (i) a plurality of identifiers of respective ones of a plurality of kinds of control signals and (ii) attribute information corresponding to the plurality of identifiers;

a control signal attribute information managing section to manage the identifier and corresponding attribute information of each of the control signals and to identify the attribute information of the one of the control signals stored in the database depending on an identifier of the one of the control signals obtained at the control signal detecting section; and

an index generating section to generate metadata following an acquisition of ~~the~~a type, the identifier, and the time of the one of the control signals at the control signal detecting section and the corresponding attribute information at the control signal attribute information managing section.

2. (Currently Amended) An index imparting system, comprising:

a control signal detecting section to detect a voice control signal of a microphone into which a voice of a performer ~~himself~~is input, to identify an identifier of the microphone, and to obtain a time of ~~the~~a detection of the voice control signal;

a memory storing a database comprising (i) a plurality of identifiers of respective ones of a plurality of kinds of control signals,~~including the~~ including one identifier of the microphone, and (ii) attribute information corresponding to the plurality of identifiers,~~including~~ including attribute information of the voice control signal;

a control signal attribute information managing section to manage the identifier and corresponding attribute information of each of the control ~~signals~~ signals, including the voice control signal, and to identify the attribute information of the voice control signal stored in the database, the voice control signal associated with the performer, the attribute information of the voice control signal identified depending on the one identifier of the microphone obtained at the control signal detecting section; and

an index generating section to generate metadata following an acquisition of the identifier and the time of the detection of the voice control signal at the control signal detecting section and the corresponding attribute information relevant to the performer at the control signal attribute information managing section.

3. (Currently Amended) An index imparting system, comprising:

a control signal detecting section to detect a control signal of a VCR with which the VCR is switched, to identify an identifier thereof, and to obtain a time of ~~the~~ a detection of the control signal;

a memory storing a database comprising (i) a plurality of identifiers of respective ones of a plurality of kinds of control signals,~~including~~ including one the identifier of the VCR, and (ii) attribute information corresponding to the plurality of identifiers,~~including~~ including attribute information of the control signal;

a control signal attribute information managing section to manage the identifier and corresponding attribute information of each of the control signals, including the control signal of the VCR, and to identify the attribute information of the control signal of the VCR stored in the database depending on the identifier of the VCR obtained at the control signal detecting section; and

an index generating section to generate metadata following an acquisition of the identifier and the time of the control signal of the VCR at the control signal detecting section and the corresponding attribute information relevant to the VCR at the control signal attribute information managing section.

4. (Currently Amended) An index imparting system, comprising:

a control signal detecting section to detect a control signal of a telop with which the telop is switched, to identify an identifier thereof, and to obtain a time of the a detection of the control signal;

a memory storing a database comprising (i) a plurality of identifiers of respective ones of a plurality of kinds of control signals, ~~including~~ including the control signal of the telop, and (ii) attribute information corresponding to the plurality of identifiers, ~~including~~ including attribute information of the telop;

a control signal attribute information managing section to manage the identifier and corresponding attribute information of each of the control signals, including the control signal of the telop, and to identify the attribute information of the control signal of the telop stored in the database depending on the identifier of the telop obtained at the control signal detecting section; and

an index generating section to generate metadata following an acquisition of the identifier and the time of the detection of the control signal of the telop at the control signal detecting section and the corresponding attribute information relevant to the telop at the control signal attribute information managing section.

5. (Currently Amended) The index imparting system according to claim 1, comprising a log analyzing section to generate log data wherein the time of the detection is sorted for each identifier following the acquisition of ~~an~~ a respective identifier and a respective time of detection from the control signal detecting section and output the log data to the index generating section.

6. (Currently Amended) The index imparting system according to claim 5, wherein the log analyzing section comprises:

a log output section to generate the log data wherein the time of detection is sorted for each identifier by using anthe respective identifier and the respective detected time of detection of a control signal and to output the log data to a network or a removable medium; and

a log input section to input the log data via the network or the removable medium and to output the log data to the index generating section.

7. (Currently Amended) The index imparting system according to claim 1, wherein the index imparting system ~~detects~~ detects an input control signal of any of a microphone, a VCR, ~~and/or~~ a telop, generates metadata following the acquisition of ~~at~~ the type, ~~an~~ the identifier, and the time of detection thereof, and, ~~in the meantime,~~ imparts attribute information relevant to the control signal to the metadata.

8. (Currently Amended) The index imparting system according to claim 1, wherein the control signal detecting section comprises:

a control signal type identifying section to detect an input control signal and to identify at the type and ~~an~~ the identifier thereof;

a control signal type managing section to manage the input control signal and the type and the identifier thereof ~~in a tied manner in order to enable the identification of a control signal;~~

a time obtaining section to obtain a time when the input control signal is detected; and

an index generation requesting section to send the identified type and identifier and the obtained time to the index generating section and to request to generate the metadata.

9. (Currently Amended) The index imparting system according to claim 8, wherein the control signal detecting section is provided with a microphone signal voice pressure level judging section to measure a voice pressure level of an input voice signal and to judge ~~the~~ an existence of a vocalization.

10. (Currently Amended) The index imparting system according to claim 9, wherein the microphone signal voice pressure level judging section judges that a voice is generated only when a measured voice pressure level is at or above a prescribed value ~~or more~~ and sends a voice control signal to the control signal type identifying section.

11. (Currently Amended) The index imparting system according to claim 9, wherein the microphone signal voice pressure level judging section judges a measured voice pressure level, judges that the voice is generated only when the voice pressure level is continuously maintained for a prescribed period of time and sends a voice control signal to the control signal type identifying section.

12. (Currently Amended) The index imparting system according to claim 1, wherein the control signal attribute information managing section comprises:

the database which is further configured to store an identifier for uniquely specifying each of the control signals of various kinds of devices and the attribute information which is information relevant to each user of the various kinds of devices or each of the various kinds of devices ~~in a tied manner~~;

an attribute information managing section to obtain the attribute information from the database in response to a request from the index generating section for the attribute information; and

an attribute information registering section to receive registration of the identifier and attribute information stored in the database.

13. (Currently Amended) The index imparting system according to claim 12, wherein the control signal attribute information managing section comprises a database searching section connected to the database which stores detailed information of the attribute information and automatically imparts the detailed information obtained from the database to the metadata generated at the index generating section.

14. (Currently Amended) The index imparting system according to claim 13, wherein the database ~~is a database which stores~~ the detailed information on at least any one of a person, news, ~~and/or~~ a script.

15. (Original) The index imparting system according to claim 12, wherein the attribute information registering section is connected online to a device to edit a VCR or a telop, and attribute information which is registered to the attribute information registering section is obtained by registering online information obtained or input by using the editing device.

16. (Currently Amended) The index imparting system according to claim 12, wherein attribute information which is registered to the attribute information registering section is obtained by storing information obtained or input by using ~~the~~ a device to edit a VCR or a telop in a removable medium as the attribute information, and registering the information by using the removable medium.

17. (New) The index imparting system according to claim 1, wherein the control signal detecting section identifies a time on which detection of the control signals starts as a start time, identifies a time on which detection of the control signals are finished as an end time, and then adds a time zone information between the start time and the end time to the metadata as an attribute information of the control signals.